EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	client adj3 (track\$3 monitor\$3).ab. and query and object and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 09:59
L2	57	client adj3 (track\$3 monitor\$3).clm. and query and object and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:00
L3	14	client adj3 (track\$3 monitor\$3).clm. and query and object and class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:02
L4	1	client adj3 (track\$3 monitor\$3)with server and query same object same class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:03
L5	.0	client adj3 (track\$3 monitor\$3)with server and query same override and object and class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:04
L6	3	client adj3 (track\$3 monitor\$3)with server and (function interface query) same override and object and class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:13
L7	20	client with (track\$3 monitor\$3)with server and (function) with overrid\$3 and object and class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:13
L8	20	client with (track\$3 monitor\$3) with server and (function) with overrid\$3 and object and class and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:14
L9	17	client with (track\$3 monitor\$3) with server and (function) with overrid\$3 and object and class and (invok\$3 invocat\$3)and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:15
L10	17	client with (track\$3 monitor\$3) with server and (function) with overrid\$3 and object and class and (invok\$3 invocat\$3) and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:16

05/31/2006 10:41:15 AM Page 1

EAST Search History

L11	11	client with (track\$3 monitor\$3) with server and (function) with overrid\$3 and object and class and (invok\$3 invocat\$3 initia\$4 activ\$5 generat43 execut\$4) with (identif\$4 detect\$3 track\$3 discover\$3) and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:32
L12	394	((track\$3 monitor\$3) "709"/\$\$\$) and (function) with overrid\$3 and object and class and (invok\$3 invocat\$3 initia\$4 activ\$5) with (identif\$4 detect\$3 track\$3 discover\$3) and (@ad<"19990203" @rlad<"19990203")	US-PGPUB; USPAT	OR	ON	2006/05/31 10:33

05/31/2006 10:41:15 AM Page 2